

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,749,813 B1
DATED : June 15, 2004
INVENTOR(S) : David, Moses M.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2,

Line 34, delete "fast" and insert -- first --, therefor.

Line 65, after "plasma" insert -- . --.

Column 6,

Line 29, after "and" delete "U.S. Pat. Nos.".

Column 7,

Line 38, delete ";;" and insert -- , --, therefor.

Column 8,

Line 3, delete ";;" and insert -- , --, therefor.

Line 28, after "of" delete "in".

Line 37, delete "immunoassay" and insert -- immunoassay --, therefor.

Line 52, delete "09/519,444" and insert -- 09/519,447 --, therefor.

Column 10,

Lines 21-22, delete ""Gram to atom"" and insert -- "Gram atom" --, therefor.

Column 12,

Line 65, after "methane," delete "to".

Column 13,

Line 11, after "chamber" insert -- will cause the source to volatilize. Alternatively, the additional components may be entrained in an inert gas stream. The additional components may be --.

Line 35, delete "asymmetnc" and insert -- asymmetric --, therefor. --.

Column 15,

Line 31, after "of" delete "to".

Line 32, after "plasma" insert -- . --.

Column 18,

Line 20, delete "arm" and insert -- are --, therefor.

Line 61, delete "fist" and insert -- first --, therefor.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,749,813 B1
DATED : June 15, 2004
INVENTOR(S) : David, Moses M.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19,

Line 2, after "comprises" insert -- structures --.

Line 9, after "fluid" insert -- handling --.

Line 28, after "least" insert -- a --.

Line 42, after "atomic" insert -- percent --.

Line 64, after "comprising" insert -- a --.

Column 20,

Line 33, after "oxygen" insert -- , --.

Signed and Sealed this

Sixteenth Day of November, 2004

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D" for "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office